


US EPA ARCHIVE DOCUMENT

Effects of Climate Change and Greenhouse Gas Mitigation Strategies on Air Quality



Michael Mac Kinnon, Marc Carreras-Sospedra
Jack Brouwer, Donald Dabdub, Aria Etemadieh

Advanced Power and Energy Program (APEP)
Computational Environmental Sciences Laboratory (CESL)
University of California, Irvine

November 9, 2012

Project Overview – Goal and Objectives

Goal

Analyze air quality (AQ) impacts of climate change and various transportation and power sector GHG mitigation strategies in 2050

Objectives

1. Establish rigorous analyses methodologies and adapt state-of-the-art models to evaluate future scenarios in 2050
2. Model air quality sensitivity to meteorological and boundary conditions affected by changes in global climate
3. Develop spatially and temporally resolved criteria pollutant emissions due to GHG reduction strategies in the transportation sector
4. Develop spatially and temporally resolved criteria pollutant emissions due to GHG reduction strategies in the power generation sector
5. Assess air quality impacts due to GHG reduction strategies



Outline – Tasks

1. Methodology Development

2. Technology Assessment



- Emphasis on power and transportation sectors

3. Evaluation of GHG and AQ Impacts


- Development and assessment of scenarios

4. Air quality model sensitivity

- Impacts of climate change



Regions of Interest




Region selection focused on:


- Existing and expected AQ challenges
- Similar/differing contributing sources to facilitate comparison and identify trends
- Current/expected focus on GHG mitigation and alternative technology deployment
 - CA, NEUS

Legend **

- County Designated Nonattainment for 6 NAAQS Pollutants
- County Designated Nonattainment for 5 NAAQS Pollutants
- County Designated Nonattainment for 4 NAAQS Pollutants
- County Designated Nonattainment for 3 NAAQS Pollutants
- County Designated Nonattainment for 2 NAAQS Pollutants
- County Designated Nonattainment for 1 NAAQS Pollutant





Methodology



Outline – Tasks

1. Methodology Development
2. Technology Assessment
 - Emphasis on power and transportation sectors
3. Evaluation of GHG and AQ Impacts
 - Development and assessment of scenarios
4. Air quality model sensitivity
 - Impacts of climate change



Mitigation Strategies: Transportation

Major drivers of transportation GHG emissions

- **Transport Demand**
 - Vehicle miles traveled (VMT)
- **Energy Intensity of Travel**
 - Unit fuel per mile (e.g., miles/gallon, kWhr, kg)
- **Fuel carbon intensity**
 - Life cycle GHG emission per unit fuel (e.g., gCO₂e/MJ)

Challenges

- **Current vehicles reject >60% of potential fuel energy**
 - Electric drive trains can improve efficiencies by 40-80%
- **Combustion of current fuels produces significant GHG emissions**
 - Conventional motor gasoline: 93 g CO₂eq /MJ
- **Significant growth in projected future transportation demand**
 - Growth in population, economic sectors



Mitigation Strategies: Transportation (LDV)

Life cycle GHG emissions dependent on:

- Vehicle propulsion efficiency, utilized fuel, and production pathway

Mitigation Strategy	Potential Reduction	Reference(s)
Efficiency Gains		
Conventional	5 to 50%	[1-9]
HEVs	37 to 87%	[1-3, 7, 8, 10, 11]
Hydrogen		
HFCVs	14 to 99%	[1, 3, 7-24]
Electricity		
PHEVs	15 to 68%	[1, 3, 7, 8, 10, 11, 25-31]
BEVs	28 to 99%	[1, 7, 8, 10, 11, 32, 33]
Biofuels		
Corn Ethanol	+93 to 67%	[4, 7, 11, 34-41]
Cellulosic Ethanol	+50 to >100%	[3, 4, 7, 11, 35, 37, 39, 42-46]
Modal Shift		
Total Demand Reduction		
Various	0.4-2%	[47-50]

- **HDV**
 - Increased vehicular efficiency
 - Transition to natural gas



References: Transportation

1. Bandivadekar, A., et al., *On the road in 2035: Reducing transportation's petroleum consumption and GHG emissions*. Report No. LFEE, 2008. 5.
2. NESCCAF, *Reducing Greenhouse Gas Emissions from Light-Duty Motor Vehicles* 2004, Northeast States Center for a Clean Air Future (NESCCAF)
3. Pickrel, D., *Fuel Options for Reducing Greenhouse Gas Emissions from Motor Vehicles* 2003, U.S. Department of Transportation (DOT), Cambridge MA.
4. Lutsey, N.P. and D. Sperling, *Transportation and greenhouse gas mitigation*. 2008.
5. Brinckerhoff, P., *Greenhouse Gas (GHG) and Energy Mitigation for the Transportation Sector*. 2009.
6. Greene, D.L. and P.C.o.G.C. Change, *Reducing greenhouse gas emissions from US transportation*. 2003: Pew Center on Global Climate Change.
7. Greene, D.L. and S.E. Plotkin, *Reducing Greenhouse Gas Emissions from U.S. Transportation* 2011, Pew Center of Global Climate Change.
8. U.S. DOT, *Transportation's Role in Reducing US Greenhouse Gas Emissions: Volume 1: Synthesis Report and Volume 2: Technical Report*, U.S. Department of Transportation: 2010
http://ntl.bts.gov/lib/32000/32700/32779/DOT_Climate_Change_Report_-_April_2010_-_Volume_1_and_2.pdf (accessed July 2, 2011).
9. Thomas, S., *Transportation options in a carbon-constrained world: Hybrids, plug-in hybrids, biofuels, fuel cell electric vehicles, and battery electric vehicles*. International Journal of Hydrogen Energy, 2009. 34(23): p. 9279-9296.
10. Kromer, M. and J. Heywood, *Electric Powertrains: Opportunities And Challenges in the US Light-Duty Vehicle Fleet, LFEE 2007-03 RP*. Sloan Automotive Laboratory, Massachusetts Institute of Technology, Cambridge, MA, 2007.
11. Andress, D., T.D. Nguyen, and S. Das, *Reducing GHG emissions in the United States' transportation sector*. Energy for Sustainable Development, 2011.
12. Stephens-Romero, S. and G.S. Samuelsen, *Demonstration of a novel assessment methodology for hydrogen infrastructure deployment*. International Journal of Hydrogen Energy, 2009. 34(2): p. 628-641.
13. Thomas, C., *Fuel cell and battery electric vehicles compared*. International Journal of Hydrogen Energy, 2009. 34(15): p. 6005-6020.
14. Stephens-Romero, S., et al., *Determining air quality and greenhouse gas impacts of hydrogen infrastructure and fuel cell vehicles*. Environmental Science & Technology, 2009. 43(23): p. 9022-9029.
15. NREL. *Fuel Cell Vehicle Fuel Economy, Greenhouse Gas, and Stack Efficiency*. Hydrogen Fuel Cells and Research:Composite Data Products by Topic 2009b [cited 2011 October 28]; Available from: http://www.nrel.gov/hydrogen/cdp_topic.html#economy.
16. Brouwer, J., *On the role of fuel cells and hydrogen in a more sustainable and renewable energy future*. Current Applied Physics, 2010. 10(2): p. S9-S17.
17. Greene, D.L., et al., *Analysis of the Transition to Hydrogen Fuel Cell Vehicles and the Potential Hydrogen Energy Infrastructure Requirements*. Oak Ridge National Laboratory, US Department of Energy, 2008.
18. Granovskii, M., I. Dincer, and M.A. Rosen, *Life cycle assessment of hydrogen fuel cell and gasoline vehicles*. International Journal of Hydrogen Energy, 2006. 31(3): p. 337-352.
19. National Research Council, *Transitions to Alternative Transportation Technologies - A Focus on Hydrogen*. Committee on Assessment of Resource Needs for Fuel Cell and Hydrogen Technologies, 2008: Washington D.C.



References: Transportation

20. Kobayashi, S., S. Plotkin, and S.K. Ribeiro, *Energy efficiency technologies for road vehicles*. Energy Efficiency, 2009. 2(2): p. 125-137.
21. Granovskii, M., I. Dincer, and M.A. Rosen, *Exergetic life cycle assessment of hydrogen production from renewables*. Journal of Power Sources, 2007. 167(2): p. 461-471.
22. Colella, W., M. Jacobson, and D. Golden, *Switching to a US hydrogen fuel cell vehicle fleet: The resultant change in emissions, energy use, and greenhouse gases*. Journal of Power Sources, 2005. 150: p. 150-181.
23. Jacobson, M.Z., *Effects of wind-powered hydrogen fuel cell vehicles on stratospheric ozone and global climate*. Geophys. Res. Lett, 2008. 35: p. 19.
24. Dougherty, W., et al., *Greenhouse gas reduction benefits and costs of a large-scale transition to hydrogen in the USA*. Energy Policy, 2009. 37(1): p. 56-67.
25. Stephan, C.H. and J. Sullivan, *Environmental and energy implications of plug-in hybrid-electric vehicles*. Environmental science & technology, 2008. 42(4): p. 1185-1190.
26. Kempton, W., et al., *Large CO2 reductions via offshore wind power matched to inherent storage in energy end-uses*. Geophysical Research Letters, 2007. 34(2): p. L02817.
27. Samaras, C. and K. Meisterling, *Life cycle assessment of greenhouse gas emissions from plug-in hybrid vehicles: Implications for policy*. Environmental Science & Technology, 2008. 42(9): p. 3170-3176.
28. Elgowainy, A., et al., *Well-to-wheels energy use and greenhouse gas emissions analysis of plug-in hybrid electric vehicles*. 2009, Argonne National Laboratory (ANL).
29. Kliesch, J., T. Langer, and E. American Council for an Energy-Efficient. *Plug-in hybrids: an environmental and economic performance outlook*. 2006: American Council for an Energy-Efficient Economy Washington, DC, US.
30. Kintner-Meyer, M., K. Schneider, and R. Pratt, *Impacts assessment of plug-in hybrid vehicles on electric utilities and regional US power grids part 1: Technical analysis*. Pacific Northwest National Laboratory, 2007.
31. Knipping, E., *Environmental Assessment of Plug-In Electric Hybrid Vehicles Volume 2: United States Air Quality Analysis Based on AEO-2006 Assumptions for 2030*. 2007b, Electric Power Research Institute (EPRI): Palo Alto, CA.
32. Yang, C., et al., *Meeting an 80% reduction in greenhouse gas emissions from transportation by 2050: A case study in California*. Transportation Research Part D: Transport and Environment, 2009. 14(3): p. 147-156.
33. Burke, A., et al., *Battery Electric Vehicles: An Assessment of the Technology and Factors Influencing Market Readiness*. California Energy Commission, Davis, Public Interest Energy Research Program final report, 2007.
34. Kaliyan, N., R.V. Morey, and D.G. Tiffany, *Reducing life cycle greenhouse gas emissions of corn ethanol by integrating biomass to produce heat and power at ethanol plants*. Biomass and Bioenergy, 2011.
35. Wang, M.Q., et al., *Energy and greenhouse gas emission effects of corn and cellulosic ethanol with technology improvements and land use changes*. Biomass and Bioenergy, 2011.
36. Liska, A.J., et al., *Improvements in Life Cycle Energy Efficiency and Greenhouse Gas Emissions of Corn Ethanol*. Journal of Industrial Ecology, 2009. 13(1): p. 58-74.
37. Cherubini, F., et al., *Energy-and greenhouse gas-based LCA of biofuel and bioenergy systems: Key issues, ranges and recommendations*. Resources, Conservation and Recycling, 2009. 53(8): p. 434-447.
38. Tyner, W.E., et al., *Land use changes and consequent CO2 emissions due to US corn ethanol production: A comprehensive analysis*. Department of Agricultural Economics, Purdue University, 2010.



References: Transportation

39. Hill, J., *Environmental costs and benefits of transportation biofuel production from food-and lignocellulose-based energy crops: a review*. Sustainable Agriculture, 2009: p. 125-139.
40. Wang, M., M. Wu, and H. Huo, *Life-cycle energy and greenhouse gas emission impacts of different corn ethanol plant types*. Environmental Research Letters, 2007. 2: p. 024001.
41. Heath, G.A., et al., *Life Cycle Assessment of the Energy Independence and Security Act of 2007: Ethanol-Global Warming Potential and Environmental Emissions*. 2009, National Renewable Energy Laboratory (NREL), Golden, CO.
42. Unnasch, S., et al., *Full fuel cycle assessment well to wheels energy inputs, emissions, and water impacts*. Sacramento: California Energy Commission, 2007.
43. Greene, N., et al., *NRDC Report "Growing energy: how biofuels can help end America's oil dependence"(December)*. 2004.
44. Searchinger, T., et al., *Use of US croplands for biofuels increases greenhouse gases through emissions from land-use change*. Science, 2008. 319(5867): p. 1238.
45. Farrell, A.E., et al., *Ethanol can contribute to energy and environmental goals*. Science, 2006. 311(5760): p. 506.
46. Brinkman, N., et al., *Well-to-wheels analysis of advanced fuel/vehicle systems—a North American study of energy use, greenhouse gas emissions, and criteria pollutant emissions*. Argonne Natl. Lab, Argonne, IL, 2005.
47. National Research Council . Committee for the Study on the Relationships Among Development Patterns, V.M.T., et al., *Driving and the Built Environment: The Effects of Compact Development on Motorized Travel, Energy Use, and CO2 Emissions*. 2009: Transportation Research Board.
48. Ewing, R.H. and S.G. America, *Growing cooler: evidence on urban development and climate change*. 2008: ULI.
49. Ewing, R. and A. Nelson, *CO2 Reductions Attributable to Smart Growth in California*. report prepared for the California Air Resources Board, Sacramento, CA, 2008.
50. Cambridge Systematics, *Moving Cooler: An Analysis of Transportation Strategies for Reducing Greenhouse Gas Emissions*. 2009: Washington, DC.



LDV Mitigation Strategies: AQ Impacts



Fuel Production

- Spatial/temporal shift
 - PHEV, BEVs, HFCVs, Ethanol
- Paradigm shift
 - PHEV, BEVs, HFCVs, Ethanol
- Slight Reduction
 - HEV, PHEV,
- Significant Reduction
 - PHEV, BEV, HFCV, Ethanol
- Increase (potential)
 - PHEV, BEV, HFCV, Ethanol

Fuel Distribution

- Reduction in emissions
 - HEV, PHEV, BEV,
- Slight increase (potential)
 - Ethanol

Direct Vehicle

- Moderate reduction
 - HEV, PHEV, Ethanol
- Significant reduction
 - PHEV
- Complete reduction
 - BEV, HFCV
- Increase (potential)
 - Ethanol



LDV Mitigation Strategies: AQ Impacts

AQ Impacts of PHEV Deployment - EXAMPLE

- Generally modest, but significant, spatially-dependent improvements
 - Localized areas of worsening (power sector impacts)

Study	Direct NO _x	Direct SO _x	Direct VOC	Direct CO	Direct PM	Secondary PM	Ozone
EPRI 2007	D	D	D	N/A	I-10%	D	D -61% area I -1% area
Kintner-Meyer 2007	I- Coal D-No coal	I-75% area	D-93%	D-98%	I-67% area	N/A	N/A
Parks 2007	D- small	D-some I-some	N/A	N/A	N/A	N/A	N/A
Thompson 2009	I-night D- day	I-Potential	I-night D- day	I-night D- day	I-Potential D- Potential	I- SO _x related D- Potential	D- 2-6 ppb Localized I < 8 ppb
Brinkman 2010	D	N/A	N/A	N/A	N/A	N/A	D - <2-3 ppb Localized I- small

I: Increase
D: Decrease
N/A: Not studied



Mitigation Strategies: Power Sector

Major drivers of power sector GHG emissions

- **Power Demand**
 - Total demand for power (e.g., MWhr)
- **Efficiency of generation**
 - Unit power generated per unit fuel input (e.g., MWhr/MJ)
- **Fuel carbon intensity**
 - Life cycle GHG emission per unit fuel (e.g., gCO₂e/MJ)

Challenges

- **Current U.S. system dominated by fossil fuel generation**
 - 67% provided from coal(42%) and natural gas (25%)^[1]
- **Combustion of current fuels produces significant emissions**
 - Coal: 944 g CO₂eq /MJ
- **Significant growth in projected future power demand**
 - Growth in population, economic sectors

[1] U.S. EIA 2012



Mitigation Strategies: Power Sector

Life cycle emissions dependent on fuel/conversion pathway

- Traditional Coal: 687-1689 gCO₂eq/kWhr (Average: 944) [1-8]

Mitigation Strategy		LCA Emissions [gCO ₂ eq/kWhr]	GHG Reduction [Average Coal]	Reference(s)
Gas-Fired Power		390 to 682	28-76%	[1-4, 9-13]
Nuclear Power		3.5 to 220	77% to >>99%	[3, 4, 9, 11, 14-20]
Renewable Power				
	Wind	3 to 40	96-99%	[3, 4, 10, 11, 21-31]
	Solar PV	19 to 104	89-98%	[4, 30, 32-40]
	Solar CST	12 to 241	74-99%	[41-46]
	Biopower	-633 to 390	62-100%, 163-245%	[3, 30, 47-64]
	Geothermal	5 to 57	94-99%	[4, 27, 65, 66]
	Ocean	2-56	94-99%	[27, 67, 68]
CCS				
	Coal (PC)	41-844	50-94%	[6-8, 73-76]
	NG	47-280	59-88%	[7,8, 73-75]

- **Efficiency Improvements (Generation, T&D, End-use)**
 - Reduce required generation ≤ 30% [77-85]



Mitigation Strategies: Natural Gas

- NG considered viable power mitigation strategy in select regions
 - Significant projected expansion from increased domestic production


- Conce

- Hov

-


- Jian

-



References: Power Sector

1. Dones, R., X. Zhou, and C. Tian, *Life Cycle Assessment (LCA) of Chinese energy chains for Shandong electricity scenarios*. International Journal of Global Energy Issues, 2004. 22(2): p. 199-224.
2. Odeh, N.A. and T.T. Cockerill, *Life cycle GHG assessment of fossil fuel power plants with carbon capture and storage*. Energy Policy, 2008. 36(1): p. 367-380.
3. Dones, R., et al., *Life cycle inventories of energy systems: results for current systems in Switzerland and other UCTE countries*. Data v1, 2007a. 1.
4. Hondo, H., *Life cycle GHG emission analysis of power generation systems: Japanese case*. Energy, 2005. 30(11-12): p. 2042-2056.
5. Zhang, J., L. Basson, and M. Leach. *Review of life cycle assessment studies of coal-fired power plants with carbon capture and storage*. 2009: IEEE.
6. Ansolabehere, S., et al., *The future of coal: An interdisciplinary MIT study*. Massachusetts Institute of Technology, 2007.
7. Rubin, E.S., A.B. Rao, and C. Chen. *Comparative assessments of fossil fuel power plants with CO2 capture and storage*. 2005.
8. Hammond, G.P., S. Akwe, and S. Williams, *Techno-economic appraisal of fossil-fuelled power generation systems with carbon dioxide capture and storage*. Energy, 2011. 36(2): p. 975-984.
9. Badea, A.A., I. Voda, and C.F. Dinca, *Comparative Analysis of Coal, Natural Gas, and Nuclear Fuel Life Cycle by Chains of Electrical Energy Production*. UPB Scientific Bulletin, Series C: Electrical Engineering 72(2): 221-238, 2010.
10. Dolan, S.L., *Life cycle assessment and energy synthesis of a theoretical offshore wind farm for Jacksonville, Florida*. 2007, University of Florida.
11. Dones, R., et al., *Externalities of Energy: Extension of Accounting Framework and Policy Applications*. Paul Scherer Institute, 2005.
12. Kannan, R., et al., *Life cycle energy, emissions and cost inventory of power generation technologies in Singapore*. Renewable and Sustainable Energy Reviews, 2007. 11(4): p. 702-715.
13. Spath, P.L. and M.K. Mann, *Life cycle assessment of a natural gas combined-cycle power generation system*. 2000: National Renewable Energy Laboratory Golden, CO.
14. Kuemmel, B., B. Sorensen, and S.K. Nielsen, *Life-cycle Analysis of the Total Danish Energy System: An Assessment of the Present Danish Energy System and Selected Future Scenarios*. 1997: Roskilde Universitetscenter.
15. Chataignere, A. and D. Boulch, *Wind turbine (WT) systems*. ECLIPSE- Environmental and Ecological Life Cycle Inventories for present and future Power Systems in Europe. Final Report. www.eclipse-eu.org/pubres_guide.html (29.09. 2006), 2003.
16. Jungbluth, N., et al., *Life Cycle Assessment for Emerging Technologies: Case Studies for Photovoltaic and Wind Power (11 pp)*. The International Journal of Life Cycle Assessment, 2005. 10(1): p. 24-34.
17. Schleisner, L., *Life cycle assessment of a wind farm and related externalities*. Renewable Energy, 2000. 20(3): p. 279-288.
18. Pehnt, M., *Dynamic life cycle assessment (LCA) of renewable energy technologies*. Renewable Energy, 2006. 31(1): p. 55-71.
19. Weinzettel, J., et al., *Life cycle assessment of a floating offshore wind turbine*. Renewable Energy, 2009. 34(3): p. 742-747.
20. Crawford, R., *Life cycle energy and greenhouse emissions analysis of wind turbines and the effect of size on energy yield*. Renewable and Sustainable Energy Reviews, 2009. 13(9): p. 2653-2660.
21. Jacobson, M.Z., *Review of solutions to global warming, air pollution, and energy security*. Energy & Environmental Science, 2009. 2(2): p. 148-173.
22. Khan, F.I., K. Hawboldt, and M. Iqbal, *Life cycle analysis of wind-fuel cell integrated system*. Renewable Energy, 2005. 30(2): p. 157-177.
23. Martinez, E., et al., *Life-cycle assessment of a 2-MW rated power wind turbine: CML method*. The International Journal of Life Cycle Assessment, 2009. 14(1): p. 52-63.



References: Power Sector

24. Rule, B.M., Z.J. Worth, and C.A. Boyle, *Comparison of life cycle carbon dioxide emissions and embodied energy in four renewable electricity generation technologies in New Zealand*. Environmental science & technology, 2009. 43(16): p. 6406-6413.
25. Fthenakis, V.M., H.C. Kim, and E. Alsema, *Emissions from photovoltaic life cycles*. Environmental science & technology, 2008. 42(6): p. 2168-2174.
26. Fthenakis, V., et al. *Update of PV Energy Payback Times and Life-cycle Greenhouse Gas Emissions*. . in *24nd European Photovoltaic Solar Energy Conference and Exhibition*. . 2009. Hamburg, Germany.
27. Raugei, M. and P. Frankl, *Life cycle impacts and costs of photovoltaic systems: Current state of the art and future outlooks*. Energy, 2009. 34(3): p. 392-399.
28. Pacca, S., D. Sivaraman, and G. Keoleian, *Life cycle assessment of the 33 kW photovoltaic system on the Dana Building at the University of Michigan: Thin film laminates, multi-crystalline modules, and balance of system components*. University of Michigan: Michigan, USA, 2006.
29. Raugei, M., S. Bargigli, and S. Ulgiati, *Life cycle assessment and energy pay-back time of advanced photovoltaic modules: CdTe and CIS compared to poly-Si*. Energy, 2007. 32(8): p. 1310-1318.
30. Alsema, E., *Energy pay-back time and CO2 emissions of PV systems*. Progress in Photovoltaics: Research and Applications, 2000. 8(1): p. 17-25.
31. Alsema, E., M. de Wild-Scholten, and V. Fthenakis. *Environmental impacts of PV electricity generation-a critical comparison of energy supply options*. 2006.
32. Stoppato, A., *Life cycle assessment of photovoltaic electricity generation*. Energy, 2008. 33(2): p. 224-232.
33. Jungbluth, N., M. Stucki, and R. Frischknecht, *Photovoltaics*. . Dubendorf, Switzerland: Ecoinvent: Swiss Centre for Life Cycle Inventories 2009(6-XII).
34. Weinreb, G., M. Bohnke, and F. Trieb, *Life cycle assessment of an 80 MW SEGS plant and a 30 MW Phoebus power tower*. Solar Engineering, 1998: p. 417-424.
35. Becerra-Lopez, H.R. and P. Golding, *Dynamic exergy analysis for capacity expansion of regional power-generation systems: Case study of far West Texas*. Energy, 2007. 32(11): p. 2167-2186.
36. Viebahn, P., et al., *Final report on technical data, costs, and life cycle inventories of solar thermal power plants*. NEEDS Project Final Report, www. needs-project. org. Accessed November, 2008. 1: p. 2009.
37. Burkhardt III, J.J., G.A. Heath, and C.S. Turchi, *Life Cycle Assessment of a Parabolic Trough Concentrating Solar Power Plant and the Impacts of Key Design Alternatives*. Environmental science & technology, 2011.
38. Burkhardt III, J.J., G. Heath, and E. Cohen, *Life Cycle Greenhouse Gas Emissions of Trough and Tower Concentrating Solar Power Electricity Generation. Systematic Review and Harmonization*. . Journal of Industrial Ecology, 2012. 16(S1): p. S93-S109.
39. Martin, J.A., *A total fuel cycle approach to reducing greenhouse gas emissions: Solar generation technologies as greenhouse gas offsets in US utility systems*. Solar energy, 1997. 59(4): p. 195-203.
40. Frick, S., M. Kaltschmitt, and G. Schroder, *Life cycle assessment of geothermal binary power plants using enhanced low-temperature reservoirs*. Energy, 2010. 35(5): p. 2281-2294.
41. Rogge, S. and M. Kaltschmitt, *Electricity and heat production from geothermal energy-an ecologic comparison*. Erdoel Erdgas Kohle, 2003. 119(1): p. 35-40.
42. Woolcombe-Adams, C., M. Watson, and T. Shaw, *Severn Barrage tidal power project: implications for carbon emissions*. Water and Environment Journal, 2009. 23(1): p. 63-68.
43. Kelly, K., M. McManus, and G. Hammond, *An energy and carbon life cycle assessment of tidal power case study: The proposed Cardiff-Weston severn barrage scheme*. Energy, 2012.
44. Denholm, P. and G.L. Kulcinski, *Life cycle energy requirements and greenhouse gas emissions from large scale energy storage systems*. Energy Conversion and Management, 2004. 45(13): p. 2153-2172.
45. Horvath, A., *Decision-making in electricity generation based on global warming potential and life-cycle assessment for climate change*. University of California Energy Institute, 2009.



References: Power Sector

46. Pacca, S., *Impacts from decommissioning of hydroelectric dams: a life cycle perspective*. Climatic Change, 2007. 84(3): p. 281-294.
47. Ribeiro, F.M. and G.A. da Silva, *Life-cycle inventory for hydroelectric generation: a Brazilian case study*. Journal of Cleaner Production, 2009. 18(1): p. 44-54.
48. Dubuisson, X. and I. Sintzoff, *Energy and CO2 balances in different power generation routes using wood fuel from short rotation coppice*. Biomass and Bioenergy, 1998. 15(4-5): p. 379-390.
49. Hacatoglu, K., P.J. McLellan, and D.B. Layzell, *Feasibility study of a Great Lakes bioenergy system*. Bioresource technology, 2011. 102(2): p. 1087-1094.
50. Gartner, S., *Final report on technical data, costs and life cycle inventories of biomass CHP plants*. NEEDS Deliverable, 2008(13.2-RS).
51. Fan, J., et al., *Life cycle assessment of electricity generation using fast pyrolysis bio-oil*. Renewable Energy, 2011. 36(2): p. 632-641.
52. Elsayed, M., R. Matthews, and N. Mortimer, *Carbon and energy balances for a range of biofuels options*. 2003: Resources Research Unit, Sheffield Hallam Univ.
53. Kirkinen, J., et al., *Greenhouse impact due to the use of combustible fuels: life cycle viewpoint and relative radiative forcing commitment*. Environmental Management, 2008. 42(3): p. 458-469.
54. Cherubini, F., et al., *Energy-and greenhouse gas-based LCA of biofuel and bioenergy systems: Key issues, ranges and recommendations*. Resources, Conservation and Recycling, 2009. 53(8): p. 434-447.
55. Lu, W. and T. Zhang, *Life-cycle implications of using crop residues for various energy demands in china*. Environmental science & technology, 2010. 44(10): p. 4026-4032.
56. Hong, S.W., *The usability of switchgrass, rice straw, and logging residue as feedstocks for power generation in East Texas*. 2007, Texas A&M University.
57. Searcy, E. and P.C. Flynn, *Processing of straw/corn stover: comparison of life cycle emissions*. International Journal of Green Energy, 2008. 5(6): p. 423-437.
58. Forsberg, G., *Biomass energy transport: Analysis of bioenergy transport chains using life cycle inventory method*. Biomass and Bioenergy, 2000. 19(1): p. 17-30.
59. Froese, R.E., et al., *An evaluation of greenhouse gas mitigation options for coal-fired power plants in the US Great Lakes States*. Biomass and Bioenergy, 2010. 34(3): p. 251-262.
60. McKechnie, J., et al., *Forest bioenergy or forest carbon? Assessing trade-offs in greenhouse gas mitigation with wood-based fuels*. Environ. Sci. Technol. 45: p. 789-795.
61. Daugherty, E. and H. Strippel, *Biomass Energy Systems Efficiency: Analyzed through a Life Cycle Assessment*. Lund Univesity, 2001.
62. Yoshida, Y., et al., *Comprehensive comparison of efficiency and CO2 emissions between biomass energy conversion technologies-position of supercritical water gasification in biomass technologies*. Biomass and Bioenergy, 2003. 25(3): p. 257-272.
63. Heller, M.C., et al., *Life cycle energy and environmental benefits of generating electricity from willow biomass*. Renewable Energy, 2004. 29(7): p. 1023-1042.
64. Roedel, A., *Production and energetic utilization of wood from short rotation coppice—a life cycle assessment*. The International Journal of Life Cycle Assessment, 2010. 15(6): p. 567-578.
65. Edenhofer, O., et al., *Renewable Energy Sources and Climate Change Mitigation: Special Report of the Intergovernmental Panel on Climate Change*. 2011: Cambridge University Press.
66. Spath, P.L. and M.K. Mann, *Biomass Power and Conventional Fossil Systems with and without CO2 Sequestration—Comparing the Energy Balance, Greenhouse Gas Emissions and Economics*. 2004, National Renewable Energy Lab., Golden, CO.(US).
67. Lecointe, C., et al., *Final report on technical data, costs and life cycle inventories of nuclear power plants*. 2007.
68. Warner, E.S. and G.A. Heath, *Life Cycle Greenhouse Gas Emissions of Nuclear Electricity Generation*. Journal of Industrial Ecology, 2012.
69. Lenzen, M., *Life cycle energy and greenhouse gas emissions of nuclear energy: A review*. Energy Conversion and Management, 2008. 49(8): p. 2178-2199.



References: Power Sector

70. Fthenakis, V.M. and H.C. Kim, *Greenhouse-gas emissions from solar electric-and nuclear power: A life-cycle study*. Energy Policy, 2007. 35(4): p. 2549-2557.
71. Beerten, J., et al., *Greenhouse gas emissions in the nuclear life cycle: A balanced appraisal*. Energy Policy, 2009. 37(12): p. 5056-5068.
72. Rashad, S. and F. Hammad, *Nuclear power and the environment: comparative assessment of environmental and health impacts of electricity-generating systems*. Applied Energy, 2000. 65(1): p. 211-229.
73. Sovacool, B.K., *Valuing the greenhouse gas emissions from nuclear power: A critical survey*. Energy Policy, 2008. 36(8): p. 2950-2963.
74. IPCC, *IPCC Special Report on Carbon Dioxide Capture and Storage*, B. Metz et al., Editor. 2005, Intergovernmental Panel on Climate Change: New York
75. Viebahn, P., et al., *Comparison of carbon capture and storage with renewable energy technologies regarding structural, economic, and ecological aspects in Germany*. International Journal of Greenhouse Gas Control, 2007. 1(1): p. 121-133.
76. Pehnt, M. and J. Henkel, *Life cycle assessment of carbon dioxide capture and storage from lignite power plants*. International Journal of Greenhouse Gas Control, 2009. 3(1): p. 49-66.
77. Greene, D.L., et al., *Energy Assurance: Essential Energy Technologies for Climate Protection and Energy Security*. 2009, Oak Ridge National Laboratory (ORNL).
78. EPRI, *The Power to Reduce CO2 Emissions: The Full Portfolio – 2009 Technical Report* 2009, Electric Power Research Institute: 2009
<http://my.epri.com/portal/server.pt?open=512&objID=216&PageID=229721&mode=2> (Accessed September 20, 2011).
79. Williams, J.H., et al., *The technology path to deep greenhouse gas emissions cuts by 2050: the pivotal role of electricity*. Science, 2012. 335(6064): p. 53-59.
80. ASES, *Tackling climate change in the U.S.: Potential carbon emissions reductions from energy efficiency and renewable energy by 2030*, Kutscher, C., Ed; American Solar Energy Society (ASES): 2007.
http://ases.org/images/stories/file/ASES/climate_change.pdf (accessed September 8, 2011).
81. McKinsey & Co., *Reducing US Greenhouse Gas Emissions: How Much at What Cost?*, McKinsey & Co.: 2007.
<http://mckinsey.com/clientervice/ccsi/greenhousegas.asp> (accessed September 13, 2011).
82. McKinsey & Co., *Unlocking Energy Efficiency in the U.S. Economy*, McKinsey & Co.: 2009.
http://www.mckinsey.com/Client_Service/Electric_Power_and_Natural_Gas/Latest_thinking/Unlocking_energy_efficiency_in_the_US_economy.aspx (accessed July 20, 2011).
83. NETL, *Improving the Efficiency of Coal-Fired Power Plants for Near Term Greenhouse Gas Emissions Reductions*. 2010, U.S. Department of Energy
84. EPRI, *The Green Grid: Energy Savings and Carbon Emissions Reductions Enabled by a Smart Grid*. 2008, Electric Power Research Institute.
85. U.S. DOE, *The Smart Grid: An Introduction* U.S. Department of Energy: 2008
http://energy.gov/sites/prod/files/oeprod/DocumentsandMedia/DOE_SG_Book_Single_Pages%281%29.pdf



Power Mitigation Strategies: AQ Impacts

- **AQ impacts generally favorable**
 - Efficiency measures reduce emissions via reductions in generation
 - Transition to low carbon fuels generally associated with reductions in criteria pollutant emissions
 - Nuclear, renewable technologies
- **Dynamic power system impacts associated with intermittent nature of renewables necessitates co-deployment of back-up**
 - Reduced net emission reductions of GHG and pollutants
- **Impacts associated with deployment of CCS**
 - Efficiency losses from associated processes
 - Fleet-wide increases in emissions of some pollutants (e.g., NO_x)
 - Impacts of capture processes reduces
 - Generally associated with decreases in PM, SO_x



AQ Impacts: CCS Deployment

Potential for positive and negative impacts (species dependent)

- **Efficiency penalty necessitates increased fuel utilization**
 - Increased criteria pollutant emissions fleet-wide (NO_x , CO)
- **Capture process effectively reduces some emissions**
 - PM, SO_2



Technology	Net CO ₂ Reduction	NO _x	SO ₂	CO	VOC	P.M.	References
Pulverized Coal	82-84%	+(24)%	-(61-96%)	---	---	-(29-35)%	[1,2,5]
Super-critical P.C.	72-87%	+(25-44)%	-(61-95%)	---	---	-(35-49)%	[2,3,5]
IGCC	81-88%	+(18-20)%	+(10-19%)	---	---	-(0-41)%	[2,3,5]
NGCC	59-83%	+(5-17)%	+(0-21%)	+0-19%	+(0-17%)	-42 to +25%	[1-5]

[1] Tzimas 2007, [2] Odeh & Cockerill 2008, [3] Singh 2011, [4] James, Ralph NETL 2012, [5] Sathre 2011



Outline – Tasks


1. Methodology Development
2. Technology Assessment
 - Emphasis on power and transportation sectors
3. Evaluation of GHG and AQ Impacts
 - Development and assessment of scenarios
4. Air quality model sensitivity
 - Impacts of climate change



Base Case Development

Initial base case developed via MARKAL (Dan Loughlin, EPA)

- Represents energy system evolution to targeted horizon (2050)
 - EPA U.S. 9-region MARKAL database
- Base case represents business-as-usual (BAU) assumptions
 - Calibrated to AEO 2010, projected to 2055




Source: Loughlin et al. 2011



Base Case Power Generation

Significant regional variation in technology and fuels


- Gas-fired generation growth substantial in most regions
- Coal in TX and NEUS R2 (offset in NEUS by significant nuclear power)
- CA and R1 relatively clean grid mixes



Base Case Transportation

Regional demand increases significantly in Base Case


- Fuel consumption off-set by vehicle efficiency improvements
- Low penetrations of alternative fuel use in LDV sector



Base Case GHG Emissions

General moderate increases in regional CO₂ emissions in Base Case


- NEUS R2 experiences moderate decrease



Base Case NO_x Emissions

Significant decrease in total regional emissions


- Large reduction from transportation sector
 - On-road (LDV, HDV) contribute largest fraction



Base Case Pollutant Emissions

2050 Base Case Pollutant Emissions

- Power → reductions in NO_x , increases in other pollutant emissions (CSAPR)
- Transportation → significant reductions in LDV and HDV fleet emissions




Base Case Pollutant Emissions (TX)

Species, spatial, and temporal-dependent increases & decreases


- NO_x : ≤ -900 kg/hr
- Direct PM: $\leq +5$ kg/hr

Difference in NO_x Emissions (2005 to 2050)



00:00:00 UTC

Difference in PM Emissions (2005 to 2050)



00:00:00 UTC




Base Case Air Quality (TX)

Base Case AQ from 2005 to 2050


- Ozone: -16 to **+7.5** ppb
- PM_{2.5}: -3 to **+3** µg/m³

Difference in [O₃] (2005 to 2050)



00:00:00 UTC

Difference in [PM_{2.5}] (2005 to 2050)





00:00:00 UTC



Outline – Tasks


1. Development of methodologies to facilitate achievement of project objectives and goal
2. Assessment of technologies comprising GHG mitigation strategies
 - Emphasis on power and transportation sectors
3. **Assessment of GHG and AQ impacts from mitigation strategy deployment**
 - **Power generation sector**
 - **Transportation sector**
4. Air quality model sensitivity
 - Meteorological and boundary conditions affected by changes in global climate and the global economy



Base 2050 GHG Emissions

Initial focus on power and transportation sectors


- Other sectors have significant regional impacts
 - Industrial (TX), Residential (NEUS)



Base 2050 NO_x Emissions

Transportation major contributor


- Industrial emissions contribute significantly in all regions



Power Sector AQ Impacts

AQ impacts driven by NO_x reduction

- **Reductions in Peak $[\text{O}_3]$**
 - CA: -3 ppb
 - TX: -16 ppb
 - NEUS: -9 ppb
- **Reductions in Peak $[\text{PM}_{2.5}]$**
 - CA: -6 $\mu\text{g}/\text{m}^3$ (**localized**)
 - TX: -2 $\mu\text{g}/\text{m}^3$
 - NEUS: -6 $\mu\text{g}/\text{m}^3$
- **Regional variation evident**
 - CA impacts lower than other regions
 - High penetration of renewables
 - Impacts of coal power significant
 - NEUS, TX




Impacts of Coal Generation

Impacts of coal power continue to be significant (NEUS, TX)

- Share of total generation → TX: 25%, NEUS R1: 11%, NEUS R2: 36%

Contribution of Coal Power Generation to Regional Emissions




Power Sector Scenarios

Nuclear offers emissions benefits relative to CCS deployment


- GHG emissions comparable to slightly favorable
- Criteria pollutant emissions generally favorable
 - SO₂ equivalent, PM_{2.5} reductions higher for CCS

Regional Emissions Impacts From Replacement of Coal Power

Nuclear Power



Carbon Capture and Storage (CCS)




Nuclear Power AQ Impacts


Improvements spatially correlated with coal plant locations

- Peak ozone: -12 ppb
- Peak $\text{PM}_{2.5}$: $-4 \mu\text{g}/\text{m}^3$

Difference in NO_x Emissions



Difference in $[\text{O}_3]$ From Base




Transportation Sector AQ Impacts

AQ significantly impacted despite net emissions reductions

Reductions in Peak [O_3]


- CA: -6 ppb
- TX: -15 ppb
- NEUS: -24 ppb



00:00:00 UTC

Reductions in Peak [$PM_{2.5}$]

- CA: -6 $\mu g/m^3$
- TX: -4 $\mu g/m^3$
- NEUS: -8 $\mu g/m^3$



00:00:00 UTC




Transportation Sector AQ Impacts

AQ effects of LDV impacted by fleet evolution


- Improved conventional vehicle (CV) emissions performance
 - Increases the relative importance of non-LDV transportation technologies

Difference in $[O_3]$ (No LDV Relative to Base)



4 P.M.

Difference in $[O_3]$ (No Non-LDV Relative to Base)




4 P.M.




Transportation Sector AQ Impacts

Petroleum fuel refining activities significantly impact AQ

Contribution of Refinery Emissions to Regional Total



Difference in $[O_3]$ (No Refining relative to Base)



High Efficiency Case

Transportation

- **LDV^[1-3]**
 - Fleet-wide efficiency 45 → 60 mpg (34% improvement)
 - Total demand (VMT) → 10% reduction [1-3]
- **HDV^[1,4]**
 - Fleet-wide efficiency 23 → 26 mpg (14% improvement)
 - Total demand → 20% reduction
- **Air, Marine, Rail, Off-road**
 - Total demand → 20% reduction
- **Refinery/Fuel Transport & Storage/Refueling Emissions**
 - -24% from decreased fuel usage

Power Generation

- **Total Demand → 30% reduction^[5-7]**

Residential/Commercial/Industrial

- **Total Demand → 30% reduction**
 - E.g., lighting, appliances, heat/cool

References


- [1] Greene 2011
- [2] Melaina 2011
- [3] NRC 2009
- [4] Williams 2012
- [5] Google 2009
- [6] U.C.S. 2009
- [7] Greene 2009



High Efficiency GHG Impacts

Efficiency measures can significantly reduce emissions

- 42% reduction in total CO₂ emissions (TX)
- Upper bound case




High Efficiency AQ Impacts

AQ improvements in HE Case Relative to Base Case


- Peak Ozone: -11 ppb
- Peak $\text{PM}_{2.5}$: -4 $\mu\text{g}/\text{m}^3$

Difference in $[\text{O}_3]$ HE vs. Base



5 P.M.


Difference in $[\text{PM}_{2.5}]$ HE vs. Base



7 A.M.



Scenario Development: EV




Electric Vehicle Scenario Impacts

GHG impacts dependent on power sector and region

- Per mile reductions from CVs range from 19 to 94%
- Total LDV impacts range from **+10** to -35%

Life-Cycle GHG Emissions for Electric Vehicles
Regional LDV Sector GHG Emissions Impacts




EVM 1 Average (TX)

Spatially and temporally dependent AQ impacts


- Peak ozone: -12 to **+17** ppb
- Peak PM_{2.5}: -4 to **+6** µg/m³

Difference in [O₃] From Base



00:00:00 UTC

Difference in [PM_{2.5}] From Base



00:00:00 UTC




EVM 1 Average (CA)


Lesser state-wide AQ impacts relative to other study regions

- Peak ozone: -2 to + <1 ppb
- Slight increases in peak PM_{2.5}

Difference in [O₃] From Base



00:00:00 UTC





00:00:00 UTC



Outline – Tasks

1. Methodology Development
2. Technology Assessment
 - Emphasis on power and transportation sectors
3. Evaluation of GHG and AQ Impacts
 - Development and assessment of scenarios
4. Air quality model sensitivity
 - Impacts of climate change




Air Quality Model Sensitivity

Initial work focused on impacts of climate change

- **Ozone and PM_{2.5} formation sensitivity to temperature**
 - Increase of 2 °C in mean air and soil temperature


Impacts on peak O₃

Climate Change vs Base



Impacts on 24-hour PM_{2.5}

Climate Change vs Base



Initial Findings

- **GHG and AQ impacts experience different trends to 2050**
 - Effectiveness of mitigation strategies differs from present
 - Impacts of other (e.g., Industrial) sectors significant
- **Significant variability in regional impacts and strategy effectiveness**
 - CA region may require alternative strategies for significant improvements
- **Linkages between sectors important**
 - Co-deployment of GHG mitigation strategies across multiple sectors
 - Interactions between mobile and stationary sources
- **Impacts of climate change on AQ significant**
 - Similar in magnitude to technology driven perturbations



Thank You

Questions ?



Acknowledgments

- **U.S. EPA**
 - Dr. John Dawson
 - Dr. Dan Loughlin
- **UCI APEP**
 - Dr. G. Scott Samuelsen
 - Dr. Shane Stephens-Romero
 - Dr. Tim Brown
 - Martin Chang
 - Rena Yang

